



JR002G

Cordless Recipro Saw

Powered by 40V MAX XGT Li-ion battery

HIGH CUTTING EFFICIENCY

CAPACITY

PIPE: **130MM**

WOOD: **255MM**



XGT
40V LI-ION
max

BL
MOTOR

AVT

XPT

Redesigned lubricating mechanism of slider section

High Power Brushless Motor

Blade Ejection Lever

relocated to the side of the housing for increased convenience in removing the blade



Anti Vibration Technology


Extra-Low Vibration achieved by Counter Weight Mechanism



Vibration Level
about **50%**
DOWN

AVT

COMPATIBLE WITH A WIDE RANGE OF CUTTING APPLICATIONS



- Variable speed control by dial (1,000 - 3,000min⁻¹) enables user to adjust the max cutting strokes to match the material of workpiece
- Extended blade life in stainless cutting applications thanks to max strokes lowered to 1,000min⁻¹

Dual LED Job Light
with preglow and
afterglow functions



Tool Hook



Variable speed control by dial
enables user to adjust the max
cutting strokes to match the
materials of workpiece



**Tool-less shoe
adjustment**



**Anti-drop mechanism for
Shoe adjustment**

- minimizes drop of shoe when adjusting the position of Shoe
- Shoe can be removed simply by operating a lever and a button


**eXtreme Protection
Technology**

For use in outdoor applications or harsh environments, protection from dust and dripping water

XPT



Orbital Mechanism
for high speed wood cutting



Orbital Cutting Action



**Straight Line
Cutting Action**



For fast cutting in wood and autoclaved lightweight concrete

For cutting iron pipes, cast iron pipes, aluminum, stainless steel and plastics

Work Amount
on a single full battery charge

Efficiency of Wood Cutting

about **30% UP**

Compared to predecessor model

Efficiency of Metal Cutting

about **35% UP**

Compared to predecessor model

SPECIFICATIONS

Length of Stroke	32 mm
Strokes Per Minute (SPM)	0 - 3,000
Capacity	Pipe / Wood: 130 / 255 mm
Vibration Level	Cutting Boards: 8.5 m/s ² Cutting Wooden Beams: 7.9 m/s ²
Sound Pressure Level	87 dB(A)
Sound Power Level	98 dB(A)
Dimensions (L x W x H)	451 x 97 x 256 mm (with BL4040)
Net weight	3.9 kg (without battery)

Standard Equipment: Recipro Saw Blades.

Variable Speed
 Orbital Cutting
 Built-in Job Light
 Brake
 Torque Limiter
 Carry Case



Variants	Battery	Charger	Carry Case
JR002G M201	2pcs of 40V MAX XGT Li-ion 4.0Ah batteries	YES	YES
JR002G Z	NO	NO	NO



MAKITA GULF FZE

www.makita.ae |

MAKITA TOOLS EDITION # 559